


**Nidec**

Power

# Environmental Product Declaration



# TAL 0473

A **LEROY-SOMER**™ Product



**MADE IN EU  
FOR EMEA**

Auditor's name: **Abderezak Guiz**

Product category rules based on "PCR-ed4"

Publication date: **05-2025**

Validity period: 5 years

**Independent verification of declaration and data in accordance with ISO 14025:2010**

Internal  External

Document complying with ISO 14025:2010 "Environmental labels and declarations. Type III environmental declarations"

## NIDEC POWER'S ENVIRONMENTAL COMMITMENTS

### Contributing to sustainable development

- Integrating environmental management into all of our activities through our ISO 14001 certification
- Decarbonizing our internal and external activities

### Considering the environment in product design and providing information in compliance with ISO 14025


- Reducing the product environmental impact by integrating life cycle analysis from the design stage
- Working with our suppliers on the composition and origin of components

### Offering our customers environmentally friendly solutions

- Developing a regionalization strategy to be closer to the user
- Providing efficient products that align with the context of electrification and grid intermittency

## DESCRIPTION

<b>Model</b>	<b>0473</b>
<b>Reference</b>	<b>0473 C – 550 kVA</b>
<b>Family</b>	<b>450 to 730 kVA - 50 Hz</b>
<b>Equipment</b>	<b>Low Voltage Alternator - 4 poles</b>
<b>Manufacturing</b>	<b>France</b>



## VERIFICATION

<b>Auditor's name: Abderezak Guiz</b>	Product category rules based on "PCR-ed4"
Publication date: 05-2025	Validity period: 5 years
<b>Independent verification of declaration and data in accordance with ISO 14025:2010</b>	
Internal <input type="checkbox"/> External <input checked="" type="checkbox"/>	
Document complying with ISO 14025:2010 "Environmental labels and declarations. Type III environmental declarations"	

## PRODUCT RANGE COVERED BY “EPD”

TAL 0473 C is the reference product in the range. Extrapolation coefficients are available in the appendix for assessing the environmental impact of the other models in the range.

**Total product weight: 1 483 kg (including packaging)**

## FUNCTIONAL UNIT AND REFERENCE FLOW


Ensure the production of 1 kVA using an auxiliary energy source 200 hours per year for a reference lifetime of 40 years.

### Reference flows

Ratings 50Hz – 1 500 rpm		
	On the scale of the product over its reference lifetime (40 years)	At the level of the functional unit over its reference lifetime (40 years)
Equipment	1p 0473 C or 1 142 kg	1/4 400 000 of 0473 C or 2.59E-04 kg of product
Packaging	1 packaging or 55 kg	1/4 400 000 packaging or 1.25E-05 kg of packaging
Maintenance	4 bearings or 12.8 kg	1/4 400 000 bearings or 2.91E-06 kg of bearings


## PRODUCT (WITHOUT PACKAGING) MASS BALANCE

METALS	Quantity	Others	Quantity
Magnetic steel	60-65%	Others	0-5%
Steel	15%		
Copper	10-15%		
Grey casting	5-10%		
Aluminium	0-5%		
<b>Total</b>	<b>95-100%</b>	<b>Total</b>	<b>0-5%</b>



**LIFE CYCLE ANALYSIS**

This statement is representative of the A1-A5+B2 breakdown (cradle to delivery + maintenance).



**Purchased components mainly come from Europe and are assembled at the Sillac site in France.**

Manufacturing processes were taken into account based on on-site measurements of the power consumption of the various production equipment.

**Manufacturing processes external to Nidec Power are taken into account.**

The energy model used is that of production in France

- ✓ Electricity, low voltage {FR}| market for | Cut-off
- ✓ Heat, central or small-scale, natural gas {RER}| market group for heat, central or small-scale, natural gas | Cut-off, U

Upstream transport of materials and components from suppliers' sites to the Sillac plant has been taken into account.

Ferrous scrap generated during production is 80% recycled.

Aluminum scrap generated during production is 70% recycled.

This product travels 3 500 km by road to get from our manufacturing site to the installation site.

This transport scenario is therefore representative of a product delivery to Europe.

- ✓ The transport LCI is: Transport, freight, lorry >32 metric ton, EURO6 {RER}| transport, freight, lorry >32 metric ton, EURO6 | Cut-off, U

This phase includes the disposal of the product packaging.

The environmental impact of the handling equipment used to install the product has not been taken into account (negligible impact).

**Use scenario:**

**Energy consumption**

Energy consumption for product use is not included in this declaration.

**Maintenance**

Alternator maintenance is covered by the scheme proposed by Nidec Power:

<b>Permanently greased bearings</b>	Bearings life (depending on use): 20 000 hours or 3 years (grease life)
-------------------------------------	---

The nature and frequency of intervention over the typical life of the product are:

Maintenance equipment	Number of RLS interventions	Replacement frequency
Bearing	2	2 bearings, replaced once every 20 000 hours

By industry convention, the transport phase is taken into account on the assumption of a 100 km round trip by van.

The transport LCI is: Transport, passenger car, EURO5 {RoW}| transport, passenger car, EURO5 | Cut-off, U

**The end-of-life of the alternator is not taken into account in this declaration.**

## ENVIRONMENTAL IMPACT ASSESSMENT

The Life Cycle Assessment on which this Environmental Product Declaration (EPD) is based complies with the criteria of PCR-ed4-FR-2021\_09\_14 of the PEP Ecopassport® Program.

**The results were obtained using SimaPro 10.1 software and the ecoinvent 3.9 database. The characterisation method is EF3.1.**

**IMPACT INDICATORS PER kVA CORRESPONDING TO THE FUNCTIONAL UNIT**


The “PEP” is based on the **production of 1 kVA per hour of operation**. The real impact of the life cycle stages of the product installed in a real situation must be calculated by the user of the “PEP” by multiplying the impact considered by the rated power according to the configuration chosen.

**1500 rpm**

Impact category	Unit	Total	A1	A2	A3	A4	A5	B2	Module D
<b>PCR ed4 categories indicators</b>									
Climate change	kg CO <sub>2</sub> eq	1.40E-03	7.24E-04	7.22E-05	4.84E-04	9.34E-05	2.40E-06	1.86E-05	-1.50E-06
Climate change - Biogenic	kg CO <sub>2</sub> eq	8.60E-06	1.86E-06	2.10E-08	5.68E-06	2.83E-08	4.76E-08	9.69E-07	-1.60E-09
Climate change - Fossil	kg CO <sub>2</sub> eq	1.39E-03	7.22E-04	7.21E-05	4.78E-04	9.34E-05	2.35E-06	1.76E-05	-1.50E-06
Climate change - Land use and LU change	kg CO <sub>2</sub> eq	1.28E-06	8.16E-07	3.71E-08	3.72E-07	4.55E-08	9.30E-11	1.26E-08	-1.16E-09
Ozone depletion	kg CFC-11 eq	2.63E-11	1.19E-11	1.59E-12	1.03E-11	2.12E-12	1.86E-14	3.54E-13	-1.29E-14
Acidification	mol H+ eq	2.30E-05	1.91E-05	3.64E-07	3.26E-06	2.31E-07	4.89E-09	1.09E-07	-1.04E-08
Eutrophication, freshwater	kg P eq	1.88E-06	1.55E-06	5.05E-09	3.09E-07	6.89E-09	2.08E-11	8.70E-09	-7.59E-10
Eutrophication, marine	kg N eq	2.00E-06	1.32E-06	9.45E-08	4.95E-07	6.30E-08	2.68E-09	2.02E-08	-2.60E-09
Eutrophication, terrestrial	mol N eq	2.36E-05	1.67E-05	1.01E-06	5.10E-06	6.46E-07	2.51E-08	1.85E-07	-2.95E-08
Photochemical ozone formation	kg NMVOC eq	8.63E-06	5.53E-06	4.15E-07	2.23E-06	3.77E-07	1.08E-08	7.41E-08	-1.05E-08
Resource use, minerals and metals	kg Sb eq	2.41E-07	2.20E-07	1.89E-10	2.03E-08	2.61E-10	5.98E-13	7.20E-10	-3.67E-12
Resource use, fossils	MJ	1.80E-02	8.63E-03	1.07E-03	6.69E-03	1.42E-03	1.20E-05	2.21E-04	-1.02E-05
Water use	m <sup>3</sup> depriv.	5.08E-04	3.84E-04	4.92E-06	1.10E-04	6.77E-06	1.71E-08	2.75E-06	-8.55E-07
Renewable primary energy w/t RM	MJ, net CV	2.14E-03	1.37E-03	1.51E-05	7.16E-04	2.07E-05	7.55E-08	1.84E-05	-1.28E-06
Renewable primary energy as RM	MJ, net CV	7.61E-06	0.00E+00	0.00E+00	7.61E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total renewable primary energy	MJ, net CV	2.14E-03	1.37E-03	1.51E-05	7.23E-04	2.07E-05	7.55E-08	1.84E-05	-1.28E-06
Non-renewable primary energy w/t RM	MJ, net CV	1.80E-02	8.63E-03	1.07E-03	6.69E-03	1.42E-03	1.20E-05	2.21E-04	-1.02E-05
Non-renewable primary energy as RM	MJ, net CV	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total non-renewable primary energy	MJ, net CV	1.80E-02	8.62E-03	1.07E-03	6.69E-03	1.42E-03	1.20E-05	2.21E-04	-1.02E-05
Secondary materials	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Renewable secondary fuels	MJ, net CV	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Non-renewable secondary fuels	MJ, net CV	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Net use of freshwater*	m <sup>3</sup>	-4.27E-05	-1.71E-05	-3.20E-07	-2.42E-05	-4.43E-07	-4.57E-10	-6.30E-07	2.02E-08
Hazardous wastes	kg	2.94E-04	2.06E-04	1.04E-06	8.21E-05	1.37E-06	2.40E-08	3.25E-06	-5.72E-07
Non-hazardous wastes	kg	7.10E-03	5.98E-03	9.51E-05	8.63E-04	1.35E-04	6.19E-07	2.69E-05	-5.03E-07
Radioactives wastes	kg	3.84E-08	1.77E-08	3.11E-10	1.96E-08	4.32E-10	1.36E-12	3.85E-10	-3.47E-11
Components for reuse	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Materials for recycling	kg	8.74E-05	0.00E+00	0.00E+00	8.74E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Materials for energy recovery	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Exported energy	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total primary energy use	MJ, net CV	2.02E-02	9.98E-03	1.09E-03	7.41E-03	1.44E-03	1.21E-05	2.39E-04	-1.15E-05
<b>PCR ed3 categories indicators</b>									
PCR ed3-Global Warming	kg CO <sub>2</sub> eq	1.37E-03	7.12E-04	7.11E-05	4.71E-04	9.20E-05	2.32E-06	1.74E-05	-1.49E-06
PCR ed3-Acidification soil & water	kg SO <sub>2</sub> eq	1.99E-05	1.66E-05	2.90E-07	2.74E-06	1.84E-07	3.43E-09	9.12E-08	-8.18E-09
PCR ed3-Eutrophication	kg PO <sub>4</sub> --- eq	6.64E-06	5.32E-06	5.04E-08	1.18E-06	4.63E-08	3.63E-09	3.92E-08	-3.29E-09
PCR ed3-Photochemical ozone creation	kg C <sub>2</sub> H <sub>4</sub> eq	2.04E-06	1.30E-06	8.06E-08	5.42E-07	9.59E-08	2.09E-09	1.66E-08	-2.30E-09
PCR ed3-Ozone Depletion	kg CFC-11 eq	2.90E-11	1.37E-11	1.30E-12	1.20E-11	1.73E-12	1.50E-14	3.36E-13	-1.03E-14
PCR ed3-Resource use, fossils	MJ	1.80E-02	8.63E-03	1.07E-03	6.69E-03	1.42E-03	1.20E-05	2.21E-04	-1.02E-05
PCR ed3-Resource use, min. and met.	kg Sb eq	2.41E-07	2.20E-07	1.89E-10	2.03E-08	2.61E-10	5.98E-13	7.20E-10	-3.67E-12
<b>Optional categories indicators</b>									
Optional-Particulate matter	disease inc.	1.26E-10	7.70E-11	6.67E-12	3.15E-11	9.24E-12	1.22E-13	9.98E-13	-1.97E-13
Optional-Ionising radiation	kBq U-235 eq	1.46E-04	6.85E-05	1.29E-06	7.32E-05	1.79E-06	6.12E-09	1.51E-06	-1.37E-07
Optional-Ecotoxicity, freshwater	CTUe	1.90E-02	1.41E-02	5.63E-04	3.46E-03	7.42E-04	5.81E-06	1.54E-04	-4.35E-06
Optional-Human toxicity, cancer	CTUh	1.04E-11	7.29E-12	3.20E-14	2.99E-12	4.15E-14	3.00E-16	9.41E-14	-8.08E-15
Optional-Human toxicity, non-cancer	CTUh	2.70E-10	2.40E-10	7.33E-13	2.73E-11	1.01E-12	4.75E-15	8.19E-13	-1.74E-14
Optional-Land use	Pt	1.30E-02	7.16E-03	1.01E-03	3.31E-03	1.44E-03	1.58E-06	9.63E-05	-4.44E-06
Product biogenic carbon content	0.00E+00	kg of C/UF							
Packaging biogenic carbon content	4.73E-06	kg of C/UF							

\*Negative value linked to calculation methodology and data from database

## DISTRIBUTION OF ENVIRONMENTAL IMPACTS



Breakdown of environmental impacts on the "cradle to delivery + maintenance" perimeter.

**ENVIRONMENTAL IMPACT OF EQUIPMENT (additional information)**

In the context of “LCA” at product level, the environmental impacts to be considered are those of the equipment expressed at product level over its reference lifetime.

Impact category	Unit	Total	A1	A2	A3	A4	A5	B2	Module D
<b>PCR ed4 categories indicators</b>									
Climate change	kg CO <sub>2</sub> eq	6.13E+03	3.19E+03	3.18E+02	2.13E+03	4.11E+02	1.05E+01	8.17E+01	-6.61E+00
Climate change - Biogenic	kg CO <sub>2</sub> eq	3.78E+01	8.17E+00	9.26E-02	2.50E+01	1.25E-01	2.09E-01	4.27E+00	-7.05E-03
Climate change - Fossil	kg CO <sub>2</sub> eq	6.09E+03	3.17E+03	3.17E+02	2.10E+03	4.11E+02	1.03E+01	7.74E+01	-6.60E+00
Climate change - Land use and LU change	kg CO <sub>2</sub> eq	5.64E+00	3.59E+00	1.63E-01	1.64E+00	2.00E-01	4.09E-04	5.52E-02	-5.12E-03
Ozone depletion	kg CFC-11 eq	1.16E-04	5.25E-05	6.98E-06	4.54E-05	9.33E-06	8.19E-08	1.56E-06	-5.67E-08
Acidification	mol H+ eq	1.01E+02	8.40E+01	1.60E+00	1.43E+01	1.02E+00	2.15E-02	4.80E-01	-4.57E-02
Eutrophication, freshwater	kg P eq	8.28E+00	6.83E+00	2.22E-02	1.36E+00	3.03E-02	9.15E-05	3.83E-02	-3.34E-03
Eutrophication, marine	kg N eq	8.78E+00	5.82E+00	4.16E-01	2.18E+00	2.77E-01	1.18E-02	8.89E-02	-1.14E-02
Eutrophication, terrestrial	mol N eq	1.04E+02	7.33E+01	4.45E+00	2.24E+01	2.84E+00	1.11E-01	8.14E-01	-1.30E-01
Photochemical ozone formation	kg NMVOC eq	3.79E+01	2.43E+01	1.83E+00	9.79E+00	1.66E+00	4.74E-02	3.26E-01	-4.60E-02
Resource use, minerals and metals	kg Sb eq	1.06E+00	9.68E-01	8.33E-04	8.94E-02	1.15E-03	2.63E-06	3.17E-03	-1.61E-05
Resource use, fossils	MJ	7.93E+04	3.80E+04	4.73E+03	2.94E+04	6.23E+03	5.28E+01	9.72E+02	-4.50E+01
Water use	m <sup>3</sup> depriv.	2.23E+03	1.69E+03	2.17E+01	4.84E+02	2.98E+01	7.51E-02	1.21E+01	-3.76E+00
Renewable primary energy w/t RM	MJ, net CV	9.39E+03	6.01E+03	6.64E+01	3.15E+03	9.12E+01	3.32E-01	8.11E+01	-5.61E+00
Renewable primary energy as RM	MJ, net CV	3.35E+01	0.00E+00	0.00E+00	3.35E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Total renewable primary energy	MJ, net CV	9.43E+03	6.01E+03	6.64E+01	3.18E+03	9.12E+01	3.32E-01	8.11E+01	-5.61E+00
Non-renewable primary energy w/t RM	MJ, net CV	7.93E+04	3.80E+04	4.73E+03	2.94E+04	6.24E+03	5.28E+01	9.72E+02	-4.50E+01
Non-renewable primary energy as RM	MJ, net CV	0.00E+00							
Total non-renewable primary energy	MJ, net CV	7.93E+04	3.79E+04	4.73E+03	2.94E+04	6.23E+03	5.28E+01	9.71E+02	-4.50E+01
Secondary materials	kg	0.00E+00							
Renewable secondary fuels	MJ, net CV	0.00E+00							
Non-renewable secondary fuels	MJ, net CV	0.00E+00							
Net use of freshwater*	m <sup>3</sup>	-1.88E+02	-7.54E+01	-1.41E+00	-1.06E+02	-1.95E+00	-2.01E-03	-2.77E+00	8.87E-02
Hazardous wastes	kg	1.29E+03	9.07E+02	4.59E+00	3.61E+02	6.03E+00	1.06E-01	1.43E+01	-2.52E+00
Non-hazardous wastes	kg	3.12E+04	2.63E+04	4.19E+02	3.80E+03	5.94E+02	2.72E+00	1.19E+02	-2.21E+00
Radioactives wastes	kg	1.69E-01	7.78E-02	1.37E-03	8.63E-02	1.90E-03	6.00E-06	1.69E-03	-1.53E-04
Components for reuse	kg	0.00E+00							
Materials for recycling	kg	3.85E+02	0.00E+00	0.00E+00	3.85E+02	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Materials for energy recovery	kg	0.00E+00							
Exported energy	MJ	0.00E+00							
Total primary energy use	MJ, net CV	8.87E+04	4.39E+04	4.80E+03	3.26E+04	6.33E+03	5.32E+01	1.05E+03	-5.07E+01
<b>PCR ed3 categories indicators</b>									
PCR ed3-Global Warming	kg CO <sub>2</sub> eq	6.00E+03	3.13E+03	3.13E+02	2.07E+03	4.05E+02	1.02E+01	7.64E+01	-6.56E+00
PCR ed3-Acidification soil & water	kg SO <sub>2</sub> eq	8.77E+01	7.31E+01	1.28E+00	1.21E+01	8.09E-01	1.51E-02	4.01E-01	-3.60E-02
PCR ed3-Eutrophication	kg PO <sub>4</sub> --- eq	2.92E+01	2.34E+01	2.22E-01	5.20E+00	2.04E-01	1.60E-02	1.72E-01	-1.45E-02
PCR ed3-Photochemical ozone creation	kg C <sub>2</sub> H <sub>4</sub> eq	8.95E+00	5.71E+00	3.55E-01	2.39E+00	4.22E-01	9.19E-03	7.31E-02	-1.01E-02
PCR ed3-Ozone Depletion	kg CFC-11 eq	1.28E-04	6.01E-05	5.71E-06	5.26E-05	7.63E-06	6.60E-08	1.48E-06	-4.53E-08
PCR ed3-Resource use, fossils	MJ	7.93E+04	3.80E+04	4.73E+03	2.94E+04	6.23E+03	5.28E+01	9.72E+02	-4.50E+01
PCR ed3-Resource use, min. and met.	kg Sb eq	1.06E+00	9.68E-01	8.33E-04	8.94E-02	1.15E-03	2.63E-06	3.17E-03	-1.61E-05
<b>Optional categories indicators</b>									
Optional-Particulate matter	disease inc.	5.51E-04	3.39E-04	2.93E-05	1.39E-04	4.07E-05	5.37E-07	4.39E-06	-8.65E-07
Optional-Ionising radiation	kBq U-235 eq	6.43E+02	3.02E+02	5.68E+00	3.22E+02	7.86E+00	2.69E-02	6.67E+00	-6.01E-01
Optional-Ecotoxicity, freshwater	CTUe	8.35E+04	6.18E+04	2.48E+03	1.52E+04	3.26E+03	2.56E+01	6.76E+02	-1.91E+01
Optional-Human toxicity, cancer	CTUh	4.59E-05	3.21E-05	1.41E-07	1.32E-05	1.83E-07	1.32E-09	4.14E-07	-3.56E-08
Optional-Human toxicity, non-cancer	CTUh	1.19E-03	1.05E-03	3.22E-06	1.20E-04	4.46E-06	2.09E-08	3.60E-06	-7.64E-08
Optional-Land use	Pt	5.72E+04	3.15E+04	4.46E+03	1.46E+04	6.33E+03	6.93E+00	4.24E+02	-1.95E+01
Product biogenic carbon content	0.00E+00	kg of C							
Packaging biogenic carbon content	2.08E+01	kg of C							

\*Negative value linked to calculation methodology and data from database

## APPENDIX: extrapolation coefficients

The extrapolation coefficients can be applied to a homogeneous product family in accordance with the requirements of PCR-ed4-FR-2021\_09\_06.

The environmental impact of a product in the 0473 range can be obtained using the following formula:

$$\text{Considered\_product\_impact} = \text{Reference\_product\_impact} \times \text{extrapolation\_coefficient.}$$

For the manufacturing, distribution, installation and maintenance stages, the extrapolation coefficients are applied according to the following rule:

<b>Coefficient on the scale of the declared product (additional information)</b>	$\left( \frac{\text{total mass of the product considered with packaging (kg)}}{\text{total mass of the reference product of the range with packaging (kg)}} \right)$
--	--

For the declared product					
Model	Weight (kg)	Nominal power (kW) (for stand-by application at 50Hz)	Extrapolation coefficient		
			Manufacturing	Installation	Maintenance
<b>A</b>	1 013	450	0.89	0.89	0.89
<b>B</b>	1 142	500	1.00	1.00	1.00
<b>C</b>	1 142	550	1,00	1.00	1.00
<b>D</b>	1 230	600	1.08	1.08	1.08
<b>E</b>	1 366	660	1.20	1.20	1.20
<b>F</b>	1 414	730	1.24	1.24	1.24

## GLOSSARY

### **Life cycle approach**

Methodology for taking into account all the stages in the life of a product (manufacturing, installation, use and end of life) in order to determine the consequences for the environment.

### **Environmental aspect**

Element of an organization's activities, products or services that may interact with the environment [ISO 14050].

### **Typical life cycle (TLC)**

Theoretical life of the product retained for the functional unit.

Note: Typical life is a theoretical life used for calculation purposes. It can in no way be equated with the minimum, average or real life of products.

### **Homogeneous environmental family**

Group of products corresponding to the same functional unit (identical function of use, product standard, identical technology (type of materials and manufacturing process) whose environmental impacts are identical to the reference product or can be extrapolated by applying a defined calculation rule.

### **Environmental impact**

Any change to the environment, whether negative or beneficial, resulting in whole or in part from the activities, products or services of an organization [ISO 14050].

### **PCR (Product Category Rules)**

A set of specific rules, requirements and guidelines for the development of Type III environmental declarations for one or more product categories [ISO 14025].

### **Reference product**

Product or system of products modelled in the LCA and representative of a homogeneous environmental family.

### **Functional unit**

Quantified performance of a product system intended to be used as a reference unit in a life cycle assessment [ISO 14040].





[www.nidecpower.com](http://www.nidecpower.com)

Connect with us at:



© 2025 Moteurs Leroy-Somer SAS. The information contained in this brochure is for guidance only and does not form part of any contract. The accuracy cannot be guaranteed as Moteurs Leroy-Somer SAS have an ongoing process of development and reserve the right to change the specification of their products without notice.

Moteurs Leroy-Somer SAS. Headquarters: Bd Marcellin Leroy, CS 10015, 16915 Angoulême Cedex 9, France. Share Capital: 32,239,235 €, RCS Angoulême 338 567 258.