


8 TROUS $\varnothing 11$ sur $\varnothing 295.28$ EQUIDISTANT
11 DIA, 8 EQ. SP. ON 295.28 PCD

$\varnothing 361,95_{-0,127}$


12 TROUS $\varnothing 11$ sur $\varnothing 381$ EQUIDISTANT
11 DIA, 12 EQ. SP. ON 381 PCD

$\varnothing 455$




TYPE	Xg	Masse Kg Weight	J Kg ²
LSA423 L9	300	194	0.4295

Pre percage $\varnothing 21$ $\varnothing 25$ $\varnothing 32$ $\varnothing 40$ $\varnothing 50$
Predrilling



ECHELLE 0,125

Acces regulateur
Access to regulator



ECHELLE 0,125

Sortie des cables Gauche vue bout d'arbre en STD
Acces regulateur Droite vue bout d'arbre en STD
Output power on left hand side view DE standard
Access to regulator on right hand side view DE standard

-	-	-	-	-	-	-
C	22/02/13	Modification dimensions	13-135	PRIKRYL	-	-
b	14/12/2011	cote 639 ==> 641	11-586	JMD	-	-
a	X	X	11-557	X	X	X
INDICE	DATE	NATURE DE LA MODIFICATION	N° C.T.	NOM	VERIF B.E.	VERIF METH
Tolerances generales: - generale			Etats de surfaces (NFE 05-016) Ra: - partout sauf indications			
Ref: -			Echelle Machine: ALTERNATEUR ALTERNATOR			
Obs: SAE 4 - 10 H=225 - L9 (60KVA)			0,250 LSA423			
Matiere:			Designation: ENCOMBREMENT			
Modele de base: -			OUTLINE			
Variante: -			MOTEURS LEROY-SOMER 16015 ANGOULEME - FRANCE			
Composant: -						
Compose: -						
Dessine: Debord		Verif methodes				
Verifie: AR		SM				
Date: 02/12/2011		07/12/2011		A2		LSA423-8-098