



6 TROUS Ø9 SUR Ø200,02 EQUIDISTANT  
6 HOLES Ø9 ON Ø200,02 EQUID

8 TROUS Ø11 EQUID. SUR Ø333,38  
8 HOLES Ø11 EQUID. ON Ø333,38



TYPE	Xg	Masse Kg Weight
TAL040 D	204	87
TAL040 E	221	92

Pre perçage Ø17 Ø21 Ø25 Ø32 Ø37  
Predrilling



ECHELLE 0,200

-	-	-	-	-	-	-
-	-	-	-	-	-	-
<b>b</b>	06/10/2017	Logo LS supprimé/ inerties supprimées	15-2197	HAMPL	-	-
<b>a</b>	X	X	15-789	X	X	X
INDICE	DATE	NATURE DE LA MODIFICATION	N° C.T.	NOM	VERIF B.E.	VERIF METH
Tolerances generales:			Etats de surfaces (NFE 05-016) Ra: partout sauf indications			
Ref: D-E			Echelle	Machine: ALTERNATEUR ALTERNATOR		
Obs: SAE 5 - 6 1/2			0,333	TAL040		
Matiere:			Designation: ENCOMBREMENT			
Modele de base:			OUTLINE			
Variante:			<b>LEROY-SOMER</b> MOTEURS LEROY-SOMER 16015 ANGOULEME - FRANCE			
Composant:						
Compose:						
Dessine: Veselský		Verif methodes				
Verifie:						
Date: 04/01/2016				<b>A2</b>		<b>TAL040-8-026</b>